Tender No:				
KĎUSC/PRO/CAP/004/2021		General Sir John Kotelawala Defence		
A MANAGEMENT OF THE PROPERTY O		Southern campus, Edi	son Hills,	
M/S		Nugegalayaya, Sewanagala, Sr		
\$		Adjutant	0473624894	
		Procurement Officer	0473624893	
		Fax	0473620811	
	5	www.kda.ac.lk		

19 Feb 2021

University.

INVITATION TO BID AND GENERAL CONDITIONS OF TENDER

- The Rector of the General Sir John Kotelawala Defence University Southern Campus, as the Chairman, Department Procurement Committee invites Bid/s from prospective Bidders for supply of <u>items listed and specifications of the items are</u> indicated in Annex "A".
- 2. CLOSING DATE & TIME. The tender will close at 1000 hrs on \$\textit{O}\$\text{/} \@3 / 2021 Any Bid submitted after the closing time of the tender will be rejected & unopened such bids will be returned to the bidder.
- YALIDITY OF BID. The bid submitted under this tender must be valid for a period of 120 days from the date of closing of tender.
- 4. <u>VALUE ADDED TAX</u>. The Bidders who bid for locally delivered items must have the VAT registration. The VAT portion must be shown separately in the price schedule in Annex "A" and VAT registration number must be indicated. If the quoted item is exempted from VAT or Bidding Company is not liable for VAT, reference number and date of relevant Act number/Gazette notification/a certificate (as applicable) issued for the current financial year from the Commissioner General of Inland Revenue to that effect should be submitted along with the Bid.
- 5. BID SUBMISSION. The bidder must duly sign at the last page (before Annexes) of this document indicating the name of the signatory and the name of the company & place the company common seal to confirm the acceptance of tender conditions. The Bid/s that do not include authorized signature will be rejected. The Bid/s duly signed by the bidder enclosed and sealed in an appropriate cover addressed to the following address should be sent by registered post or could be deposited in the appropriate tender box placed at General Sir John Kotelawala Defence University- Southern Campus, Edison Hills, Nugegalayaya, Sewanagala. (at the Main Entrance of General Sir John Kotelawala Defence University) on or before the time & date specified for the closing of tender. The tender reference number, date & time of closing tender should be indicated & underlined at the top left corner of the envelop.
- BID OPENING. All duly received bids will be opened immediately after the scheduled closing time of Bids at the same yenue. Bidders or their accredited agents could be present at the time of opening of bids.
- 7. PRICES. For locally delivered items (including locally manufactured items & foreign items imported by the bidders) price must be quoted in Sri Lankan Rupees, inclusive of all charges for delivery of items to General Sir John Kotelawala Defence University- Southern Campus stores at Sewanagala, Unit price, VAT and Total price should be clearly indicated in schedule in Annex "A".
- 8. <u>DELIVERY.</u> Preference will be given for early delivery. In case of bulk supplies for locally manufactured items, the delivery of <u>total quantity must be completed within 120 days of signing of contract</u>, unless mutually agreed for extended delivery period with General Sir John Kotelawala Defence University. <u>The bidder/s must indicate the proposed delivery schedule in Annex "E"</u>. In the event of placing a purchase order with the successful bidder, the total quantity so ordered must be supplied as one consignment unless part deliveries are agreed upon in the contract. The deliveries not made as per agreed delivery schedule will be considered as bad performances by the suppliers and <u>no extended delivery period will be authorized</u>.
- 9. PAYMENT TERMS FOR LOCALLY DELIVERED ITEMS. Payment will be made after acceptance of items which should be subjected to a pre-acceptance inspection/testing by General Sir John Kotelawala Defence University authorities. Any item that does not confirm to the specifications or already approved sample will be rejected & it is the responsibility of the supplier to remove them from General Sir John Kotelawala Defence University stores/premises within 07 working days of such intimation (either verbal or written) at his own cost and replace them with items conforming to specification within one month of such rejection.
- 10. Special Instruction SAMPLES/PAYMENT OF TESTING CHARGES.
 When it is required to submit samples, every offer must be accompanied with pre marked samples. The marking of samples indicating the Bidder & Offer number must be done and the samples must be handed over to the officer at same place where tender box is placed on or before the closing date & time of the Bid. Samples submitted after closing time of the Bid will be rejected. When the testing charges are required to be paid, bidders shall pay testing charges separately for all offers indicated in their bid/s.

11. RIGHTS OF THE PROCUREMENT COMMITTE. Campus Procurement Committee reserve the right to accept or	E. The General Sir John Kotelawala Defence University – Southern reject whole or part of this tender and their decision will be final
The successful bidders will be notified. Information with regard to	o rejected or unsuccessful bids will not be communicated.
Thanking You,	
Yours Faithfully,	
Œ	

For Rector General Sir John Kotelawala Defence University Southern Campus

I/We agree to abide by the conditions of tender and undertake to supply the items as per delivery schedule mentioned in the contract, in the event of an order been placed with me/my firm/company as a result of this tender.


Signature	Name of Signatory	NIC:	IIC:		
Name of the Company/Bidder					
Date :		Company seal:			

- KDUSC/PRO/CAP/004/2021 Annex "A"

(DU	SC/PRO/CAP/004/2021			Annex "A"		
SR/ NO	Description	Deno mination of Qty	Qty Required	Country/ Brand Or Origin	Unit Price	Total Price
	PURCHASE OF POWER TOOL REQUIREMENT FOR FINISHING WORKS IN FOC BUILDING					
1	Angle Grinder AG 115-D (Hilti or equelent) (Specification sheet attached as annex "A")	Nos	2			
2	Angle Grinder AG 100-D (Hilti or equelent) (Specification sheet attached as annex "A")	Nos	1			
3	Circular Saw Machine – G501-1500W/185MM (S-lon PE+ or equelent) (Specification sheet attached as annex "B")	Nos	1			
4	Concrete Vibrator Electric (Makita or equalent) (Specification sheet attached as annex "B")	Nos	1			
5	Electric Hammer Drill Machine (Bosh or equelent) (Specification sheet attached as annex "C")	Nos	2			
6	Engine driven water pump 2" (Robin or equelent) (Specification sheet attached as annex "D")	Nos	î			
7	Electric water pump 1" (Solex or equelent) (Specification sheet attached as annex "E")	Nos	1			
8	Chop saw Machine (Bosh or equelent) (Specification sheet attached as annex "F")	Nos	1			
9	Presher gauge test pump (Specification sheet attached as annex "G")	Nos	1			
	Note:					
	Tax: (If Any)					
	VAT: (08%)	-				
_	Grand Total:					
-	Warranty:					
	Make Model & Country	-				
	Please Indicate The Unit Price After All Possible Discount.					
	Past experiences are to be mentioned					38

I. Validity of Offer	Signature of Authorized Officer		
II. Delivery Period			
III. Credit Period	Name:		
IV. Discount if any	T/Phone No:		
V. Ex- Stock availability	E mail :		
	Registration No:		
Rubber Stamp of the Firm	936 <u>2460</u> 0 45 46 5 66 0 5 1 5 1 5 1 5 1 5 1		

SPECIFICATIONS FOR ANGLE GRINDER 100D (BOSH OR EQUALENT)



- Slim 670W (230V), Angle grinder with dead man's switch, for discs up to 100mm
- Disc diameter: 100 mm
- Weight according to EPTA Procedure 01/2003; 2 kg
- · Trigger type Paddle with dead man switch
- A-weighted emission sound pressure level 85 dB (A) ¹
- Triaxial vibration value for angle grinding (ah, AG) 6.5 m/s²

Note: Suppliers to indicate/ provide followings,

- · Country of origin
- · Availability of spare parts for next five years
- · Warranty condition
- · Product details/literature along with the quotation
- Operation /maintenance and service manuals.

SPECIFICATIONS FOR ANGLE GRINDER 115D (HILTI OR EQUALENT)



- · Slim 850W (230V), Angle grinder with dead man's switch, for discs up to 115mm
- Disc diameter: 115 mm
- Weight according to EPTA Procedure 01/2003: 2 kg
- · Max. cutting depth: 24 mm
- Trigger type Paddle with dead man switch
- A-weighted emission sound pressure level 85 dB (A) ¹
- Triaxial vibration value for angle grinding (ah, AG) 6.5 m/s^{2/2}

Note: Suppliers to indicate/ provide followings,

- Country of origin
- Availability of spare parts for next five years
- Warranty condition
- Product details/literature along with the quotation
- · Operation /maintenance and service manuals

14 M I Comarathina Enguesia Are (C. 1) 11 C 3c

SPECIFICATIONS FOR CIRCULER SAW - (S-LON PE+ OR EQUALENT)






- Blade Diameter 185mm
- Rated voltage 220v
- Frequency 50Hz
- Rated input power 1500W
- Rated Speed 5500 r/min

Note: Suppliers to indicate/ provide followings,

- · Country of origin
- Availability of spare parts for next five years
- Warranty condition
- · Product details/literature along with the quotation
- Operation /maintenance and service manuals

SPECIFICATIONS FOR CONCRETE VIBRATOR ELECTRIC (MAKETA OR EQUALENT)



Vibration Freq. (Hz): 260/220

Vibration Amplitude (mm): 0.7/0.8

Rated Output (W) / Rpm: 800/4000


Hose Length: 2.5m

Note: Suppliers to indicate/ provide followings,

- · Country of origin
- Availability of spare parts for next five years
- Warranty condition
- · Product details/literature along with the quotation
- . Operation /maintenance and service manuals

H M P Gunarathna Ligutepant (CE) NRC 36 Civil Engineer

SPECIFICATIONS FOR HAMMER DRILL MACHINE (BOSH OR EQUALENT)



Rated power input

· No-load speed

· Power output

· Chuck capacity, min/max

Length

Height

· Drilling diameter in concrete

Drilling diameter in wood

Drilling diameter in in steel

Drilling diameter in masonry

Vibration emission value ah

600W

0-2800 Rpm

301W

1,5-13mm

266mm

180mm

13mm

25mm


10mm

15mm

26 m/s²

H.M.P. Gunarathna Lieuteoant (CE) NRC 3. Civil Engineer Sci Lunks 15 mm

SPECIFICATIONS FOR ENGINE DRIVEN WATER PUMP (ROBIN/YAMAHA OR EQUALENT)



Item

: Engine driven water pumps with foot valve to pump out fresh water (Graves or equivalent)

Engine Specifications:

Engine Make	Shall be a well proven make.
Starting	Recoil Starter.
Fuel	Petrol/ Kerosene
Safety	Manually re-settable thermal overload cutout
Operating Condition	Should be suitable for salty atmosphere and tropical climatic condition.

Pump Specifications

Capacity	6000 gph at a minimum
Total Head	More than 80 ft.
Pumping head	Minimum 25 ft.
Suction Inlet	2 Inch
Discharge Outlet	2linch
Impeller Material	Supplier to indicate
Pump body material	Supplier to indicate
Shaft Material	Supplier to indicate
Mechanical Seal	Supplier to indicate
Running	Should be able to operate continuously more than 3 hours.

Note: Suppliers to indicate/ provide followings,

- · Country of origin
- · Availability of spare parts for next five years
- Warranty condition
- Product details/literature along with the quotation
- Operation /maintenance and service manuals.

HALF Gumrathus Lieuterant (CE) NRC 3.
Civil Engineer
Std Lanks Name

SPECIFICATIONS FOR ELECTRIC DRIVEN WATER PUMP (SOLEX/JINASENA OR EQUALENT)



Item

: Electric driven water pumps with panel board to pump out fresh water

Engine Specifications:

Engine Make	Shall be a well proven make.
Power	230V 50Hz
Safety	Manually re-settable thermal overload cutout
Operating Condition	Should be suitable for salty atmosphere and tropical climatic condition.

Pump Specifications


Capacity	700 gph at a minimum of 80 ft. head.		
Total Head	More than 103 Ft.		
Pumping head	Minimum 80 Ft.		
Suction Inlet	1 Inch		
Discharge Outlet	1 Inch		
Impeller Material	Supplier to indicate		
Pump body material	Supplier to indicate		
Shaft Material	Supplier to indicate		
Mechanical Seal	Supplier to indicate		
Running	Should be able to operate continuously more than 3 hours.		

Note: Suppliers to indicate/ provide followings,

- · Country of origin
- · Availability of spare parts for next five years
- Warranty condition
- · Product details/literature along with the quotation
- Operation /maintenance and service manuals.

Civil Engineer
Sri I anha Many

SPECIFICATIONS FOR CHOPSAW MACHINE (BOSH/MAKITA OR EQUALENT)




Grinding wheels (Ø x bore)	355 x 25.4 mm / 14 x 1 "	
Torque	18 Nm / 160 in-lbs	
No-load speed	4000 rpm	
Rated input power	2300 W	
Cutting capacity steel bars	65 mm / 2 1/2 "	
Cutting capacity tubes	125 mm / 5 "	77.
Cutting capacity steel sections	115 x 130 mm / 4 1/2 x 5 1/8 "	
Maximum opening of vice jaws	238 mm / 9 3/8 "	
Dimensions of the base plate	468 x 282 mm / 18 7/16 x 11 3/32 "	
Transport height	400 mm / 15 3/4 "	
Weight	16.9 kg / 37 lbs	
Cable length	2.7 m/9 ft	
Sound pressure level	91 dB(A)	
Sound power level (LwA)	104 dB(A)	

Note: Suppliers to indicate/ provide followings,

- Country of origin
- · Availability of spare parts for next five years
- ❖ Warranty condition
- Product details/literature along with the quotation
- · Operation /maintenance and service manuals

HMP Gunarathna Lieute, ant (CR) NRC 36. Civil Engineer Ser Legita Mass.



Specifications:

Material: aluminum
 Pressure column outer diameter: 2.8cm / 1.10in

Pressure: 2.5MPa ◆ Flow: 13ml / time ◆ Color: Yellow ◆ Weight: 2090g

HMP Gunaratima Lieutenant (CE) NRC 36. Civil Engineer