Tender No:	71 cats		
KDUSC/PRO/CAP/004/2022		General Sir John Kote Southern campus, Edi	lawala Defence University,
M/S		Nugegalayaya, Sewana	
		Adjutant Procurement Officer	0473624893
		Fax	0473620811
	0 000	www.kdu.ac.lk	

S February 2022

#### INVITATION TO BID AND GENERAL CONDITIONS OF TENDER

- 1. The Rector of the General Sir John Kotelawala Defence University Southern Campus, as the Chairman, Department Procurement Committee invites Bid/s from prospective Bidders for supply of <u>items listed and specifications of the items are indicated in Annex "A".</u>
- 2. CLOSING DATE & TIME. The tender will close at 1000hrs on 08 / 03 / 2022. Any Bid submitted after the closing time of the tender will be rejected & unopened such bids will be returned to the bidder.
- 3. <u>VALIDITY OF BID</u>. The bid submitted under this tender <u>must be valid for a period</u> of 120 days from the date of closing of tender.
- 4. <u>VALUE ADDED TAX</u>. The Bidders who bid for locally delivered items must have the VAT registration. The VAT portion must be shown separately in the price schedule in Annex "A" and VAT registration number must be indicated. If the quoted item is exempted from VAT or Bidding Company is not liable for VAT, reference number and date of relevant Act number/Gazette notification/a certificate (as applicable) <u>issued for the current financial year</u> from the Commissioner General of Inland Revenue to that effect should be submitted along with the Bid.
- 5. <u>BID SUBMISSION</u>. The <u>bidder must duly sign at the last page</u> (<u>before Annexes</u>) of this document indicating the name of the signatory and the name of the company & place the company common seal to confirm the acceptance of tender conditions. The <u>Bid/s that do not include authorized signature will be rejected</u>. The <u>Bid/s duly</u> signed by the bidder enclosed and sealed in an appropriate cover addressed to the following address should be sent by registered post or could be deposited in the <u>appropriate tender box placed at General Sir John Kotelawala Defence University- Southern Campus, Edison Hills, <u>Nugegalayaya</u>, <u>Sewanagala</u>. (at the Main Entrance of General Sir John Kotelawala Defence University) on or before the time & date specified for the closing of tender. <u>The tender reference number, date & time of closing tender should be indicated & underlined at the top left corner of the envelop.</u></u>
- 6. <u>BID OPENING</u>. All duly received bids <u>will be opened immediately after the scheduled closing time of Bids at the same venue</u>. Bidders or their accredited agents could be present at the time of opening of bids.
- 7. PRICES. For locally delivered items (including locally manufactured items & foreign items imported by the bidders) price must be quoted in Sri Lankan Rupees, inclusive of all charges for delivery of items to General Sir John Kotelawala Defence University- Southern Campus stores at Sewanagala. Unit price, VAT and Total price should be clearly indicated in schedule in Annex "A".
- 8. **DELIVERY.** Preference will be given for early delivery. In case of bulk supplies for locally manufactured items, the delivery of total quantity must be completed within 120 days of signing of contract, unless mutually agreed for extended delivery period with General Sir John Kotelawala Defence University. The bidder/s must indicate the proposed delivery schedule in Annex "E". In the event of placing a purchase order with the successful bidder, the total quantity so ordered must be supplied as one consignment unless part deliveries are agreed upon in the contract. The deliveries not made as per agreed delivery schedule will be considered as bad performances by the suppliers and no extended delivery period will be authorized.
- 9. PAYMENT TERMS FOR LOCALLY DELIVERED ITEMS. Payment will be made after acceptance of items which should be subjected to a pre-acceptance inspection/testing by General Sir John Kotelawala Defence University authorities. Any item that does not confirm to the specifications or already approved sample will be rejected & it is the responsibility of the supplier to remove them from General Sir John Kotelawala Defence University stores/premises within 07 working days of such intimation (either verbal or written) at his own cost and replace them with items conforming to specification within one month of such rejection.

11. RIGHTS OF THE PROCUREMENT COMMITTEE. The General Sir John Kotelawala Defence University – South Campus Procurement Committee reserve the right to accept or reject whole or part of this tender and their decision will be for the successful bidders will be notified. Information with regard to rejected or unsuccessful bids will not be communicated.	hern inal.
Thanking You, Yours Faithfully,	
For Rector	

KDUSC/PRO/CAP/004/2022

Annex "A"

C/PRO/CAP/004/2022			Annex "A"		
Description	Deno mination of Qty	Qty Required	Country/ Brand Or Origin	Unit Price	Total Price
PURCHASE OF ELECRICAL ITEMS & CABLES FOR ESTABLISHING CCTV SYSTEM IN OFFICER MESS AT SOUTHERN CAMPUS					
5 MP Ultra Low Light Fixed Turret Camera With Power Adapter (30 Meter Dome Camera) (Specification attached as Annex B)	Nos	04			
5 MP Ultra Low Light Motorized Varifocal Bullet Camera With Power Adapter (80 Meter Bullet Camera) (Specification attached as Annex C)	Nos	06			
5 MP Ultra Low Light Fixed Mini Bullet Camera With Power Adapter (30 Meter Bullet Camera) (Specification attached as Annex D)	Nos	05			
16-ch 5 MP 1U H.265 DVR (5MP support Turbo HD 4.0, Two SATA Interfaces with two 1TB Hard Drive ) (Specification attached as Annex E)	Nos	01			
100M Coaxial Cable Rolls (Specification attached as Annex F)	Nos	11			
100M TT cable (flexible) Rolls		07			
	Nos	40			
(Specification attached as Annex G )	Nos	01			/-
(Specification attached as Annex H)	Nos	01			
No. 10 Control of the	Nos	01			
2m HDMI Cable	Nos	01			
Note:					
VAT:(08%)					
Grand Total:					
Warranty:					
Make Model & Country					
* Please Indicate The Unit Price After All Possible Discount.					
	PURCHASE OF ELECRICAL ITEMS & CABLES FOR ESTABLISHING CCTV SYSTEM IN OFFICER MESS AT SOUTHERN CAMPUS  5 MP Ultra Low Light Fixed Turret Camera With Power Adapter (30 Meter Dome Camera) (Specification attached as Annex B)  5 MP Ultra Low Light Motorized Varifocal Bullet Camera With Power Adapter (80 Meter Bullet Camera) (Specification attached as Annex C)  5 MP Ultra Low Light Fixed Mini Bullet Camera With Power Adapter (30 Meter Bullet Camera) (Specification attached as Annex D)  16-ch 5 MP 1U H.265 DVR (5MP support Turbo HD 4.0, Two SATA Interfaces with two 1TB Hard Drive ) (Specification attached as Annex E)  100M Coaxial Cable Rolls (Specification attached as Annex F) 100M TT cable (flexible) Rolls BNC Connector 1.2 KVA UPS (Specification attached as Annex G) 21" HD Monitor (LED) (Specification attached as Annex H) 5U Rack (Specification attached as Annex I) 2m HDMI Cable  Note:  VAT:	PURCHASE OF ELECRICAL ITEMS & CABLES FOR ESTABLISHING CCTV SYSTEM IN OFFICER MESS AT SOUTHERN CAMPUS  5 MP Ultra Low Light Fixed Turret Camera With Power Adapter (30 Meter Dome Camera) (Specification attached as Annex B)  5 MP Ultra Low Light Motorized Varifocal Bullet Camera With Power Adapter (80 Meter Bullet Camera) (Specification attached as Annex C)  5 MP Ultra Low Light Fixed Mini Bullet Camera With Power Adapter (30 Meter Bullet Camera) (Specification attached as Annex D)  Nos  16-ch 5 MP 1U H.265 DVR (5MP support Turbo HD 4.0, Two SATA Interfaces with two 1TB Hard Drive) (Specification attached as Annex E)  100M Coaxial Cable Rolls (Specification attached as Annex F)  Nos  100M TT cable (flexible) Rolls  BNC Connector  1.2 kVA UPS (Specification attached as Annex G)  21" HD Monitor (LED) (Specification attached as Annex H)  SU Rack (Specification attached as Annex H)  Nos  SU Rack (Specification attached as Annex I)  Nos  Note:  VAT:	Description   Denomination of Qty   Required	Description  Description  Deno mination of Qty Required or Origin  PURCHASE OF ELECRICAL ITEMS & CABLES FOR ESTABLISHING CCTV SYSTEM IN OFFICER MESS AT SOUTHERN CAMPUS  S MP Ultra Low Light Fixed Turret Camera With Power Adapter (30 Meter Dome Camera) (Specification attached as Annex B)  Nos 04  S MP Ultra Low Light Motorized Varifocal Bullet Camera With Power Adapter (80 Meter Bullet Camera) (Specification attached as Annex C)  S MP Ultra Low Light Fixed Mini Bullet Camera With Power Adapter (30 Meter Bullet Camera) (Specification attached as Annex C)  S MP Ultra Low Light Fixed Mini Bullet Camera With Power Adapter (30 Meter Bullet Camera) (Specification attached as Annex D)  Nos 06  S MP Ultra Low Light Fixed Mini Bullet Camera With Power Adapter (30 Meter Bullet Camera) (Specification attached as Annex D)  Nos 05  16-ch 5 MP 1U H -265 DVR (5MP support Turbo HD 4.0, Two SATA Interfaces with two 1TB Hard Drive ) (Specification attached as Annex E)  Nos 01  100M Coaxial Cable Rolls  (Specification attached as Annex F)  Nos 07  BNC Connector Nos 40  1.2 kVA UPS (Specification attached as Annex G)  21" HD Monitor (LED) (Specification attached as Annex H)  Nos 01  21" HD Monitor (LED) (Specification attached as Annex H)  Nos 01  21" HD Monitor (LED) (Specification attached as Annex H)  Nos 01  21 HDMI Cable  Note:  VAT:	Description  Description  Description  Deno mination of Qty Required Price  PURCHASE OF ELECRICAL ITEMS & CABLES FOR ESTABLISHING CCTV SYSTEM IN OFFICER MESS AT SOUTHERN CAMPUS  5 MP Ultra Low Light Fixed Turret Camera With Power Adapter (30 Meter Dome Camera) (Specification attached as Annex B)  5 MP Ultra Low Light Motorized Varifocal Bullet Camera With Power Adapter (80 Meter Bullet Camera) (Specification attached as Annex C)  5 MP Ultra Low Light Fixed Mini Bullet Camera With Power Adapter (30 Meter Bullet Camera) (Specification attached as Annex C)  5 MP Ultra Low Light Fixed Mini Bullet Camera With Power Adapter (30 Meter Bullet Camera) (Specification attached as Annex D)  Nos  05  16-ch 5 MP IU H 265 DVR (5MP support Turbo HD 4.0, Two SATA Interfaces with two ITB Hard Drive ) (Specification attached as Annex E)  100M Coaxial Cable Rolls (Specification attached as Annex F)  100M Toaxial Cable (Rexible) Rolls  Nos  01  11  Nos  01  12 WA UPS  Specification attached as Annex G)  21" HD Monitor (LED) (Specification attached as Annex I)  Nos  01  Nos  01

I. Validity of Offer	Signature of Authorized Officer
II. Delivery Period	
III. Credit Period	Name:
IV. Discount if any	T/Phone No:
V. Ex- Stock availability	E mail :
	Registration No:
Rubber Stamp of the Firm	

## <u>01 Specification for 5 MP Ultra Low Light Fixed Turret Camera with Power Adapter</u>

Description	Minimum Requirement	Bidder's Compliance Yes/No	If "No" Bidders Offer
General			
Manufacturer	Specify		
Brand	Specify		
Material	Metal		
Dimension	90 mm × 79.37 mm (3.54" × 3.12") Approx. 300 g (0.66 lb.)		
Communication	Up the coax, Protocol: TVI output		
Power Supply	Compatible power adapter should be provided (price included for power adapter and camera)		
Consumption	Max. 5.8 W		
IR Range	Up to 30 m		
Protection	IP67		
Camera			
Image Sensor	5-megapixel progressive scan CMOS		
Max. Resolution	2560 (H) × 1944 (V)		
Min. Illumination	Color: 0.003 Lux@ (F1.2, AGC ON), 0 Lux with IR		
Shutter Time	PAL: 1/25 s to 1/50,000 s, NTSC: 1/30 s to 1/50,000 s		
Day & Night	IR cut filter		
Angle Adjustment	Pan: 0° to 360°, Tilt:0° to 75°, Rotate: 0° to 360°		
Image			
Frame Rate	TVI: 2 MP@25fps, 2 MP@30fps, 4 MP@25fps, 4 MP@30fps, 5 MP@20fps, AHD: 4 MP@25fps, 4 MP@30fps, 5 MP@20fps, CVI: 4 MP@25fps, 4 MP@30fps, CVBS: PAL, NTSC	Λ.	
Day/Night Mode	Auto/Color/BW (Black and White)		
Interface			
Video Output	Switchable TVI/AHD/CVI/CVBS		
Event			
Motion Detection .	4 programmable areas		
Vendors Experience	Supplier should have at least 3 Years' Experience by selling this Product		
Brochures	Brochures for the offered model shall be submitted along with the tender.		
Warranty			
Warranty .	3 years Comprehensive or more		

## 02 Specification for 5 MP Ultra Low Light Motorized Varifocal Bullet Camera with Power Adapter

Description	Minimum Requirement	Bidder's Compliance Yes/No	If "No" Bidders Offer
General			
Manufacturer	Specify		
Brand	Specify		
Material	Metal		
Dimension	90 mm × 79.37 mm (3.54" × 3.12") Approx. 300 g (0.66 lb.)		
Communication	Up the coax, Protocol: TVI output		
Power Supply	Compatible power adapter should be provided (price included for power adapter and camera)		
Consumption	Max. 10.5 W		
IR Range	Up to 80 m		
Protection	IP67		
Camera			
Image Sensor	5-megapixel progressive scan CMOS		
Lens Type	2.7 mm to 13.5 mm motorized varifocal lens		
Max. Resolution	2560 (H) × 1944 (V)		
Min. Illumination	Color: 0.003 Lux@ (F1.2, AGC ON), 0 Lux with IR		
Shutter Time	PAL: 1/25 s to 1/50,000 s, NTSC: 1/30 s to 1/50,000 s		
Day & Night	IR cut filter		
Angle Adjustment	Pan: 0° to 360°, Tilt:0° to 75°, Rotate: 0° to 360°		
Image			
Frame Rate	TVI: 2 MP@25fps, 2 MP@30fps, 4 MP@25fps, 4 MP@30fps, 5 MP@20fps, AHD: 4 MP@25fps, 4 MP@30fps, 5 MP@20fps, CVI: 4 MP@25fps, 4 MP@30fps, CVBS: PAL, NTSC		
Day/Night Mode	Auto/Color/BW (Black and White)		
Interface			
Video Output	Switchable TVI/AHD/CVI/CVBS		
Event			
Motion Detection	4 programmable areas		
Vendors Experience	Supplier should have at least 3 Years' Experience by selling this Product		
Brochures	Brochures for the offered model shall be submitted along with the tender.		
Warranty			
Warranty	3 years Comprehensive or more		

#### 03 Specification for 5 MP Ultra Low Light Fixed Mini Bullet Camera with Power Adapter

Description	Minimum Requirement	Bidder's Compliance Yes/No	If "No" Bidders Offer
General	Requirement	103/110	Onei
Manufacturer	Specify		
Brand	Specify		
	Specify		
Material	Metal		
Dimension	90 mm × 79.37 mm (3.54" × 3.12") Approx. 300 g (0.66 lb.)		
Communication	Up the coax, Protocol: TVI output		
Power Supply	Compatible power adapter should be provided (price included for power adapter and camera)		
Consumption	Max. 5.8 W		
IR Range	Up to 30 m		
Protection	IP67		
Camera			
Image Sensor	5-megapixel progressive scan CMOS		
Max. Resolution	2560 (H) × 1944 (V)		
Min. Illumination	Color: 0.003 Lux@ (F1.2, AGC ON), 0 Lux with IR		
Shutter Time	PAL: 1/25 s to 1/50,000 s, NTSC: 1/30 s to 1/50,000 s		
Day & Night	IR cut filter		
Angle Adjustment	Pan: 0° to 360°, Tilt:0° to 180°, Rotate: 0° to 360°		
Lens Mount	M12		
Image			
Frame Rate	TVI: 2 MP@25fps, 2 MP@30fps, 4 MP@25fps, 4 MP@30fps, 5 MP@20fps, AHD: 4 MP@25fps, 4 MP@30fps, 5 MP@20fps, CVI: 4 MP@25fps, 4 MP@30fps, CVBS: PAL, NTSC		
Day/Night Mode	Auto/Color/BW (Black and White)		
Interface			
Video Output	Switchable TVI/AHD/CVI/CVBS		
Event			
Motion Detection	4 programmable areas		
Vendors Experience	Supplier should have at least 3 Years' Experience by selling this Product		
Brochures	Brochures for the offered model shall be submitted along with the tender.		
Warranty			
Warranty	3 years Comprehensive or more		19

#### 04 Specification for 16-ch 5 MP 1U H.265 DVR (5MP support Turbo HD 4.0, <u>Two SATA Interfaces</u>)

Description	Minimum Requirement	Bidder's Compliance Yes/No	If "No" Bidders Offer
General			
Manufacturer	Specify		
Brand	Specify		
Dimension	$380 \times 320 \times 48 \text{ mm} (15.0 \times 12.6 \times 1.9 \text{ inch}) (0.66 \text{ lb.})$		
Power Supply	Compatible power adapter should be provided (price included for power adapter)	×	
Consumption	≤25 W (Without HDDs)		
Storage	Supplier Should Provide Compatible two (02) HDD 1TB capacity along with the DVR (Price Should Include with the 02 HDDs 1TB in capacity)		i.
Recording			
Video Compression	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264		
Encoding	8 MP/5 MP/4 MP/3		
Resolution	MP/1080p/720p/WD1/4CIF/VGA/CIF		
Frame Rate	Main stream: ,8 MP@8fps/5 MP@12fps/4 MP@15fps/3 MP@18fps,1080p/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N), Sub-stream: WD1/4CIF/CIF@25fps (P)/30fps (N)		
Video Bit Rate	32 Kbps to 10 Mbps		
Stream Type	Video, Video & Audio		
Audio Bit Rate	64 Kbps		
Lens Mount	M12		
Video and Audio			
IP Video Input	16-ch (up to 32-ch) Up to 8 MP resolution Support H.265+/H.265/H.264+/H.264 IP cameras		
Audio Input	4-ch, RCA (2.0 Vp-p, 1 KΩ)		
Audio Output	1-ch, RCA (Linear, 1 KΩ)		
Analog Video	16-ch BNC interface (1.0 Vp-p, 75 Ω), supporting		
Input	coaxitron connection		
Two-Way Audio	1-ch, RCA (2.0 Vp-p, 1 K $\Omega$ ) (using the first audio input)		
AHD Input	5 MP, 4 MP, 1080p25, 1080p30, 720p25, 720p30		
HDCVI Input	4 MP, 1080p25, 1080p30, 720p25, 720p30		
CVBS output	1-ch, BNC (1.0 Vp-p, 75 Ω),		
VGA/HDMI Output	VGA: 1-ch, 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz, HDMI: 1-ch, 4K (3840 × 2160)/30Hz, ,2K (2560 × 1440)/60Hz,1920 × 1080/60Hz, 1280 × 1024/60Hz, ,1280 × 720/60Hz, 1024 × 768/60Hz		

HDTVI Input	8 MP, 5 MP, 4 MP, 3 MP, 1080p30, 1080p25, 720p60, 720p50, 720p30, 720p25	œ	
Synchronous Playback	16-ch		
Interface			
Video Output	Switchable TVI/AHD/CVI/CVBS		
Network			
Remote Connections	128		
Network Protocols	TCP/IP, PPPoE, DHCP, Hik-Connect, DNS, DDNS, NTP, SADP, NFS, iSCSI, UPnPTM, HTTPS, ONVIF		
Network Interface	1, RJ45 10M/100M/1000M self-adaptive Ethernet interface		
Auxiliary Interface			
SATA	2 SATA interfaces		
Capacity	Up to 10 TB capacity for each disk		
Alarm In/Out	16/4		
USB Interface	Front panel: 1 × USB 2.0, Rear panel: 1 × USB 3.0		
Serial Interface	RS-485 (half-duplex)		
Event			
Motion Detection	4 programmable areas		
Vendors Experience	Supplier should have at least <b>3 Years</b> ' Experience by selling this Product		
Brochures	Brochures for the offered model shall be submitted along with the tender.		
Warranty			
Warranty	3 years Comprehensive or more		

## 05 Specification for 100M 3C2V CCTV Video Cable Full Copper (Coaxial Cable) Roll

Description	Minimum Requirement	Bidder's Compliance Yes/No	If "No" Bidders Offer	
General				
Manufacturer	Specify			
Brand	Specify			
Model	3C2V			
Material	Full copper			
Application	For Use in Longer CCTV Run Lengths			
Length	100m			
Inner Conductor Resistance	The Max. at 20°C shall be<145Ω/km			
Inner Conductor	50mm BC			
Dielectric	1mm SPE			
Shield	14mm×6×25 BC Braid(L=26)			
Jacket	4±0.5mmPVC			
Jacket Thickness	08mm			
Impedance	50 ohm or better			
Capacitance	69±4 pF/m			
Return loss	between 5 and 1000MHz: > 20dB			
Cable bend radius	10 times the cable diameter			
Warranty				
Warranty	03 months or more			

#### <u>06 SPECIFICATIONS – 1.2 KVA UPS</u>

		Bidders Co	ompliance
Ítem	Mínimum Specification	Yes / No	If "No" Indicate Your Offer
Brand	(Specify)		
Model	(Specify)		
Country of Origin	(Specify)		
Country of Manufacture /	-		
Assembled	(Specify)		
UPS Type	Line Interactive		
Input Power	180-270 Volts, 50Hz-60Hz		
Output Power	230 Volts, 50Hz		
Output Slots	At Least Two universal Output Slots		
Back Up Time	10 minutes (Full Load)		
Capacity	1200 VA mínimum or better		
Transfer Time	0.5ms or less		
Indicator	Audible Power Failer Alarm,		
	Seperate LED for A/C Power,		
	Battery Charging, Battery Backup,		
	Low Battery Alarm		
Protection	Over Voltage Protection,		
	Lighting, Short Circuit Protection,		
	Surge Protection		
Battery Type	Sealed & Maintenance Free		
Supplier should be a	Supplier Should Have Certified Repair		
Manufacture Authorized	Centre and Island wide Branches for		
Agent in Sri Lanka and	immediate Warranty facility		
Proof should be provided	14		
Recharging Time	5-6 hours to 90% Capacity		
Vendors Experience	Supplier should have at least 5 Years'		
2	Experience by selling this Product		
Authorization	Supplier should be a Manufacture		
e e	Authorized Agent in Sri Lanka and		4.
	Proof should be provided		
Warranty	Manufacturer Warranty for a minimum		
	of Three (3) years including		
	replacements of all defective parts with		
	rechargeable batteries. All kind of		
	repairs should be completed withing 24		
*	hours (One working days) during the		
	warranty period. All defective parts		
	should be replaced with brand new parts		
D 1	during the warranty period.		
Brochures	Brochures for the offered model (Only)		
	shall be submitted with the tender		

### 07 Specification - Monitor 21" LED monitor

Description	Required Specification	Bidder's Compliance		
		Yes/No	If "No" your Offer	
Make/Brand	Specify			
Model	Specify			
Country of Origin	Specify			
Country of Manufacture	Specify			
Year of Manufacture	Specify			
Display	21.5" LED monitor			
Input/output connectors	VGA and HDMI			
Power Cable	Should be provide			
Wall Mount	Compatible Wall Mount Kit Should be Provided (Price should include with Monitor)			
Power supply	Internal			
Input power	100-240V AC 50/60 Hz			
Aspect Ratio Widescreen	(16:9)			
Optimal Resolution	1920 x 1080 @ 60 Hz			
Connectivity	HDMI and VGA			
Display Connectivity	VGA cable and HDMI Cable should be provided			
Brochures	Brochures for the offered model shall be submitted along with the tender.			
Warranty 3 year	3 years' comprehensive on-site warranty including all parts and labor and covering against all types of defects and faults related to the product quality and workmanship Maximum Response time of 3 hours Maximum Resolution Time of 8 working hours.  (In failure to do so, vendor must supply a backup Monitor with similar capabilities)			
			2	
Supplier should be a Manufacture Authorized Agent in Sri Lanka and Proof should be provided	Supplier Should Have Certified Repair Centre and Island wide Branches for immediate Warranty facility			
Vendors Experience	Supplier should have at least 5 Years' Experience by selling this Product			
Authorization	Supplier should be a Manufacture Authorized Agent in Sri Lanka and Proof should be provided			

# 08 Specification – 5U Equipment Cabinet – Wall mount with 04 Way power plugs 13Amp, 02 Cooling fans

Description	Required Specification	Bidder's Compliance	
		Yes/No	If "No" your Offer
Make/Brand	Specify		
Model	Specify		
Country of Origin	Specify		
Country of Manufacture	Specify		
Year of Manufacture	Specify		
Туре	5U wall mount		
Size	19"		
Power Cable	Should be provide		
Door	Metal Mesh		
Cable entry	Top and Bottom		
Accessories	Fan plate and Power supply to be supplied by supplier		
Appliances	Durable for DVR, 1KVA UPS weight (10mm Anchor Bolts)		
Brochures	Supplier to provide technical details/ product catalogue of the offered item.		
Warranty 3 year	3 years' comprehensive warranty		
Supplier should be a	Supplier Should Have Certified		
Manufacture Authorized Agent	Repair Centre and Island wide		
in Sri Lanka and Proof should	Branches for immediate Warranty		
be provided	facility		
Vendors Experience	Supplier should have at least 5 Years' Experience by selling this Product		
-			